



SYR Red Buffing Floor Pad

TECHNICAL DATA SHEET

1.0 Description

The Red Buffing Floor Pad is used for light cleaning and buffing. It is constructed of polyester fibres in a semi open textured, non-woven pattern, bonded with a durable binder/adhesive and also contains an antimicrobial treatment.

2.0 Intended Use

The Red Floor Pad cleans when damp and buffs when dry. It restores glossy finishes while removing the scuff marks and dirt associated with medium traffic areas. These pads can be used for both dry and spray buffing/polishing to produce a sparkling high-gloss shine.

Floor pads are intended for use on standard speed rotary floor cleaning machines or automatic scrubber-dryers.

Suitable for use on machine speeds of 175-350 rpm.

3.0 Construction

Made of 100% recycled PET fibres and 100% water based latex resins. Floor pads are designed to be used on both sides.

4.0 Packaging and Marking

Labelling is to clearly identify product and quantity.

5.0 Directions for Use of Floor Pads

Dust mop or sweep floors prior to cleaning or buffing. Damp mopping may be necessary if floors are heavily soiled. A spray cleaning solution may be used. Buff until glossy. Ensure the floor is dry before opening to traffic.

6.0 Product Care of Floor Pads

To prolong the life of this product it may be washed using a hose with a pressure spray nozzle to remove soil. Do not clean the pad in a washing machine. To dissolve heavy soil or finish this pad may be soaked in detergent or diluted stripping solution prior to washing.

7.0 Properties

Property	Value	Test Method
Thickness	1.0 – 1.2 in	D5736-95
Weight	809.5 – 1095.2 g/m ² 23.8 – 32.2 oz/yd ²	D6242-98
Fibre Type	PET 100% Recycled	
Binder System	Synthetic Blend	
Binder Application	Spray/Dip	
Abrasive	No	
Colour	Red	

8.0 Floor Pad Sizes available

From 6" - 21" diameter

9.0 Environmental commitment

PET fibre used in our floor pads comes from 100% post-consumer and industrial recycled waste material. SYR certification: ISO 9001 Quality Management Systems Material manufactured under environmental regulations.

Note: Due to the properties of the material and variable conditions of use, there may be variations in the specifications. Please contact SYR with any questions about the product.

SCOT YOUNG RESEARCH LTD., Lye By-Pass, Lye, Stourbridge, West Midlands DY9 8HG United Kingdom.

T: +44 (0)1384 421421 E: sales@syrclean.com W: www.syrclean.com

Rev: 1 Oct. 2017